

337 S. Belair Rd. Unit A Augusta, GA 30907Date Received: 07/28/2022 Report Date: PO Number:Comments:GREEN BORNEOMoLot Number: GBOR500F7GMP:NoSample Number: Comments:33D L02332Antivial Temp (C): Condition:24.8Sample Number: Comments:33D L02332Antivial Temp (C): Arrival Temp (C):Antivial Temp (C): Antivial Temp (C):	Client:	Carolina Kratom	Order Number: DLSG220727-028
Sample Name: GREEN BORNEO GMP: No Lot Number: GBOR500F7 Arrival Temp (C): 24.8 Sample Number: 33DL02332 Storage Location: Ambient		337 S. Belair Rd. Unit A	Date Received: 07/28/2022
Comments: GREEN BORNEO GMP: No Lot Number: GBOR500F7 Arrival Temp (C): 24.8 Sample Number: 33DL02332 Storage Location: Ambient		Augusta, GA 30907	Report Date: 07/29/2022
Sample Name:GREEN BORNEOGMP:NoLot Number:GBOR500F7Arrival Temp (C):24.8Sample Number:23DL02332Storage Location:Ambient			PO Number:
Lot Number:GBOR500F7Arrival Temp (C):24.8Sample Number:23DL02332Storage Location:Ambient	Comments:		
Lot Number:GBOR500F7Arrival Temp (C):24.8Sample Number:23DL02332Storage Location:Ambient			
Sample Number: 23DL02332 Storage Location: Ambient	Comple Nom		
	-		
Comments: Condition: Acceptable	-		
	Lot Number:	: GBOR500F7	Arrival Temp (C): 24.8
	Lot Number: Sample Num	: GBOR500F7 nber: 23DL02332	Arrival Temp (C):24.8Storage Location:Ambient

Test	<u>Result</u>	<u>Unit</u>	Reference Method
Total Plate Count	100	cfu/g	AOAC 990.12
Total Mold Count	<100	cfu/g	AOAC 2014.05
Total Yeast Count	<100	cfu/g	AOAC 2014.05
Total Coliform Count	<100	cfu/g	AOAC 991.14
Escherichia coli	Negative	10 g	AOAC-RI 050601
Salmonella spp.	Negative	10 g	AOAC 020502

Prepared By:

Approved By:

Led Ralinson

Page 1 of 1

Any errors or omissions on the Sample Submission Form by the Customer, inclusive of compliance requirements, analytical method citations, specification(s), etc. will automatically warrant any report(s) and/or associated data to be considered nonGMP; such determination is the sole responsibility of the Customer to ensure and request for each respective sample is submitted as instructed by DAL. Reports apply only to the sample(s) investigated and is not necessarily indicative of the quality or condition of apparently identical or similar samples, regardless of source or specified lot. All data and report(s) derived from Service(s) is for the exclusive use of the Customer who requested the report and paid for Service(s), and not for public dissemination or use by any other third parties, including for promotional purposes, without the prior written permission of DAL. Measurement Uncertainty (AOAC): Total Plate Count: +/-1.01, Total Plate Count